

# Control4® Square Wired Configurable Keypad V2



## Control4® Square Wired Configurable Keypad—C4-SKCB2-N

The Control4® Square Wired Configurable Keypad V2 combines beautiful aesthetics and flexible button configuration, providing a stunning user interface that elegantly controls any aspect of a Control4® system. Control lights, scenes, music, security—the possibilities are endless. The keypad can be configured with two to seven buttons using five different button sizes for a total of 38 possible configurations. There's no need to worry about how many buttons will be needed on a specific keypad prior to (or even after) installation.

- Elegant, sophisticated design makes a beautiful addition to any home or business.
- Custom engraving available to clearly identify each button.
- Backlit buttons with programmable color control for easy readability regardless of time of day or light level.
- Programmable RGB LEDs provide status feedback for lighting and other devices in the system.
- Ambient light sensor automatically adjusts backlight and status LED brightness depending on the light level in the room.
- Ships as "neutral" device with no buttons included. Keypad-style button kit and rocker-style button kits sold separately in a variety of colors (see "Available accessories").
- Control4® screw-less faceplates, sold separately, provide a sleek profile (see "Available accessories").
- RS-485 Bus Communication.
- Requires 48V Bus Power Supply and Bus Ethernet Gateway.
- Installs in standard square (UK/China-style) or round (EU-style) wall boxes. Round (EU-style) wall boxes require trim ring (see "Available accessories").

## Control4® Square Wired Configurable Keypad V2

Model number	C4-SKCB2-N
Programmable buttons	2-7 depending on configuration
Button LED feedback	One RGB status LED per button
Power requirements	48VDC
Maximum power consumption	1.2W
Minimum power consumption	0.7W
Recommended wiring	See "Keypad Bus Wiring Guide" document
<b>Environmental</b>	
Humidity	5% to 95% non-condensing
Storage	-4°F - 158°F (-20°C - 70°C)
Operational temperature	32°F - 104°F (0°C - 40°C)
<b>Miscellaneous</b>	
Control communications	RS-485
Weight	0.1 lb. (0.045 kg)
Shipping weight	0.3 lb. (0.14 kg)
<b>Available accessories</b>	
Square Device Keypad Button Kit (C4-CKSK-xx)	WH, SW, BL, MB, AU
Square Device Rocker Button Kit (C4-CKSR-xx)	WH, SW, BL, MB, AU
Square Faceplate (C4-SFP1-xx)	WG, BG, WH, LA, IV, BR, BL, SW, MB, BI, AU, SN, SS, VB, CH, MS
Glass	95 × 95 × 8.0 mm (3.7 × 3.7 × 0.3 in.)
Metal and plastic	85 × 85 × 7.5 mm (3.3 × 3.3 × 0.3 in.)
Square Dual Faceplate (C4-SFP2-xx)	WH, BL, SW, MB, AU
Square Trim Ring (C4-SSTR-xx)	WH, BL, SW, MB, AU
Square Dual Trim Ring (C4-SDTR-xx)	WH, BL, SW, MB, AU
Engraved Button, Single High (C4-EBD1H-xx)	WH, LA, IV, BR, BL, SW, MB, BI, AU
Engraved Button, Double High (C4-EBD2H-xx)	WH, LA, IV, BR, BL, SW, MB, BI, AU
Engraved Button, Triple High (C4-EBD3H-xx)	WH, LA, IV, BR, BL, SW, MB, BI, AU
Engraved Button, Rocker (C4-EBDR-xx)	WH, LA, IV, BR, BL, SW, MB, BI, AU

**Glass colors:** WG=White, BG=Black

**Gloss colors:** WH=White, LA=Light Almond, IV=Ivory, BR=Brown, BL=Black

**Satin colors:** SW=Snow White, MB=Midnight Black, BI=Biscuit, AU=Aluminum

**Metal finishes:** SN=Satin Nickel, SS=Stainless Steel, VB=Venetian Bronze, CH=Chrome, MS=Matte Stainless


**Important note:** Requires Bus Ethernet Gateway (C4-DIN-BEG) and Bus Power Supply (C4-DIN-BPS48)




# SQUARE WIRED CONFIGURABLE KEYPAD V2

SKU: C4-SKCB2-N


FRONT



TOP



BACK



SIDE

