

HALO

REMOTE



CONTROL4® HALO REMOTE

C4-HALO-BL

Halo is the new 'everyday' universal smart remote by Control4. The handheld device includes a host of user driven features, such as a 2.8" color display voice-control, extended battery life, WiFi 2.4 and 5GHz support, and a redesigned UI with new interaction options. Halo remotes also feature end-user install capabilities and OvrC® integration that reports battery life and Wi-Fi connectivity data. With a generational leap in functionality and a refined design, Halo will redefine the user experience.

CONTROL4® HALO REMOTE

FEATURES	DESCRIPTION
Model SKU	C4-HALO-BL
Colors	Black
Housing	Molded Plastic
Display	<ul style="list-style-type: none">• Full Color LCD• Resolution: 480 x 3(RGB) x 640• 71mm (2.8 inches) diagonal• 285 ppi• 16.7 million colors• Anti-glare
Ports and Interfaces	<ul style="list-style-type: none">• WiFi (802.11 a/b/g/n/ac, SDIO, Main and Diversity antenna outputs)• Accelerometer• Near Field Microphone• Speaker• Ambient Light Sensor• Charging Connector
WiFi Frequency of Operation	<p>Frequency for 2.4GHz WLAN</p> <ul style="list-style-type: none">• b/g/n(HT20) - 2412MHz - 2462MHZ <p>Frequency for 5GHz WLAN</p> <ul style="list-style-type: none">• W52 11a/n/ac ((V)HT20/40/80) - 5180MHz - 5240MHz• W53 11a/n/ac ((V)HT20/40/80) - 5260MHz - 5320MHz• W56 11a/n/ac ((V)HT20/40/80) - 5500MHz - 5725MHz• W58 11a/n/ac ((V)HT20/40/80) - 5745MHz - 5825MHz <p>USA & Canada frequencies and max power levels</p> <ul style="list-style-type: none">• 2412 - 2462 MHz 0.193 W• 5180 - 5240 MHz 0.023 W• 5260 - 5320 MHz 0.024 W• 5550 - 5720 MHz 0.024 W• 5745 - 5825 MHz 0.016 W <p>Europe, UK, Australia & New Zealand frequencies and max power levels</p> <ul style="list-style-type: none">• 2412 - 2462 MHz 0.061W• 5180 - 5240 MHz 0.028W• 5260 - 5320 MHz 0.027W• 5550 - 5720 MHz 0.027W• 5745 - 5825 MHz 0.022W
System	<ul style="list-style-type: none">• Arm Cortex A7 single core @ 720MHz• Cortex-M4 coprocessor• Ultra Low Power Consumption Platform• Intelligent Power Management

CONTROL4® HALO REMOTE

<u>FEATURES</u>	<u>DESCRIPTION</u>
System Requirements	<ul style="list-style-type: none">• OS 3.3.2+• WiFi 2.4GHz or 5GHz
Power	<ul style="list-style-type: none">• 2000mAH Li-ion battery• External 10W charger (included)
Dimensions (H x W x D)	<ul style="list-style-type: none">• 231mm (9.09in) x 51.5mm (2.03in) x 19mm (.75in)
Weight	<ul style="list-style-type: none">• 187g
Included in the Box	<ul style="list-style-type: none">• Remote• Docking Station• USB-C Power Supply• Country specific power plug• Quick Start Documentation
Environmental	<ul style="list-style-type: none">• Operating Temp: 0° to 35° C (32° to 95° F)• Storage Temp: -20° to 45° C (-4° to 113° F)• Relative Humidity: 20-90% non-condensing• Avoid direct sunlight
Docking Station	
Dimensions (H x D)	<ul style="list-style-type: none">• 18.0mm (.71in) x 78.00mm (3.07in)
Weight	<ul style="list-style-type: none">• 294g
Ports	<ul style="list-style-type: none">• USB-C