## Control4<sup>®</sup> Square Wireless Configurable Keypad



## Control4® Square Wireless Configurable Keypad, C4-SKC-N

The Control4<sup>®</sup> Wireless Configurable Keypad is an elegant and customizable user interface that unlocks the power of onetouch automation. The keypad can be configured with two to seven buttons using five different button sizes for a total of 38 possible configurations. There's no need to worry about how many buttons will be needed on a specific keypad prior to (or even after) installation.

- Wireless communication and standard wiring provide easy installation in new construction and retrofit environments.
- Elegant, sophisticated design makes a beautiful addition to any home or business.
- Custom engraving available to clearly identify each button.
- Backlit button engraving with programmable color control for easy readability regardless of time of day or light level.
- Programmable RGB LEDs provide status feedback for lighting and other devices in the system.
- Ambient light sensor automatically adjusts backlight and status LED brightness depending on the light level in the room.
- Ships as "Neutral" device with no buttons included. Keypad-style button kit and Rocker-style button kits sold separately in a variety of colors (see "Available accessories").
- Control4<sup>®</sup> screw-less faceplates, sold separately, provide a sleek profile (see "Available accessories").
- Installs in standard square (UK/China-style) or round (EU-style) wall boxes. Round (EU-style) wall boxes require trim ring (see "Available accessories").
- Power using mains voltage (120V to 277V) or low voltage (using Control4 36V or 48V power supply).



## Control4<sup>®</sup> Square Wireless Configurable Keypad

Power requirements10-277VAC +/-10%, 50/60 Hz, 48VDC or 36VDC This device requires a neutral AC connection except when used in combination with a Control4 wireless dimmer in a multi-way wiring scenario.Power consumption1201: 350mW 2400: 430mW 277V: 540mW 36VDC: 430mW 277V: 540mW 36VDC: 430mWOperational temperature32°F - 104°F (0°C - 40°C)Humidity5% to 95% non-condensingControl communications32°F - 104°F (0°C - 70°C)Control communications21°F - 104°F (0°C - 70°C)Wires per connectorSigBee, IEEE 80215.4, 2.4 GHz, 15-channel spread spectrum radioDimensions0ne 0.5 mm² - 2.5 mm² (20AWG - 10AWG) 0R 100 NG 5 mm² - 1.5 mm² (20AWG - 10AWG) 0R 100 NG 5 mm² - 1.5 mm² (20AWG - 10AWG) 0R 100 NG 5 mm² - 1.5 mm² (20AWG - 10AWG) 0R 100 NG 5 mm² - 1.5 mm² (20AWG - 10AWG) 0R 100 NG 5 mm² - 1.5 mm² (20AWG - 10AWG) 0R 100 NG 5 mm² - 1.5 mm² (20AWG - 10AWG) 0R 100 NG 5 mm² - 1.5 mm² (20AWG - 10AWG) 0R 100 NG 5 mm² - 1.5 mm² (20AWG - 10AWG) 0R 100 NG 5 m² - 1.5 mm² (20AWG - 10AWG) 0R 100 NG 5 m² - 1.5 mm² (20AWG - 10AWG) 0R 100 NG 5 m² - 1.5 mm² (20AWG - 10AWG) 0R 100 NG 5 m² - 1.5 mm² (20AWG - 10AWG) 0R 100 NG 5 m² - 1.5 mm² (20AWG - 10AWG) 0R 100 NG 5 m² - 1.5 mm² (20AWG - 10AWG) 0R 100 NG 5 m² - 1.5 mm² (20AWG - 10AWG) 0R 100 NG 5 m² - 1.5 mm² (20AWG - 10AWG) 0R 100 NG 5 m² - 1.5 mm² (20AWG - 10AWG) 0R <th>Model number</th> <th>C4-SKC-N</th>	Model number	C4-SKC-N
Power consumption240Y: x80mW x377Y: 540mW x30VDC: 430mW 36VDC: 430mWDependional temperature217-04°F (0°C - 40°C)HumidityS40 95% non-condensingStorage4°F - 158°F (-20°C - 70°C)Control communicationsZigBea, IEEE 80215.4, 24 GHz, 15-channel spread spectrum 	Power requirements	This device requires a neutral AC connection except when used in combination with a Control4 wireless dimmer in a multi-way
Operational temperature32°F - 104°F (0°C - 40°C)Humidity5% to 95% non-condensingStorage-4°F - 158°F (-20°C - 70°C)Control communicationsControl communicationsZigBee, IEEE 802.15.4, 2.4 GHz, 15-channel spread spectrum radioWires per connectorOne 0.5 mm² - 2.5 mm² (20AWG - 10AWG) OR Two 0.5 mm² - 1.5 mm² (20AWG - 16AWG)Dimensions83 × 71 × 17 mm (3.3 × 2.8 × 0.7 in.)Weight0.08 kg (0.12 lb.)Shipping weight0.08 kg (0.18 lb.)Square Device Keypad Button Kit (C4-CKSK-xx)WH, SW, BL, MB, AUSquare Device Rocker Button Kit (C4-CKSR-xx)WH, SW, BL, MB, AUSquare Taceplate (C4-SFPI-xx) 	Power consumption	240V: 480mW 277V: 540mW
Humidity5% to 95% non-condensingStorage-4°F - 158°F (-20°C - 70°C)ViscellaneousControl communicationsZigBee, IEEE 802.15.4, 2.4 GHz, 15-channel spread spectrum radioWires per connectorOne 0.5 mm² - 2.5 mm² (20AWG - 10AWG) OR Two 0.5 mm² - 1.5 mm² (20AWG - 16AWG)Dimensions83 × 71 × 17 mm (3.3 × 2.8 × 0.7 in.)Weight0.05 kg (0.12 lb.)Shipping weight0.08 kg (0.18 lb.)Square Device Keypad Button Kit (C4-CKSK-xx)WH, SW, BL, MB, AUSquare Device Rocker Button Kit (C4-CKSK-xx)WH, SW, BL, MB, AUSquare Davice Rocker Button Kit (C4-CKSK-xx)WG, BG, WH, LA, IV, BR, BL, SW, MB, BI, AU, SN, SS, VB, CH, MS 	Environmental	
Storage-4°F - 158°F (-20°C - 70°C)WiscellaneousControl communicationsZigBee, IEEE 80215.4, 2.4 GHz, 15-channel spread spectrum radioWires per connectorOne 0.5 mm² - 2.5 mm² (20AWG - 10AWG) OR Two 0.5 mm² - 1.5 mm² (20AWG - 16AWG)Dimensions83 × 71 × 17 mm (3.3 × 2.8 × 0.7 in.)Weight0.05 kg (0.12 lb.)Shipping weight0.08 kg (0.18 lb.)Square Device Keypad Button Kit (C4-CKSK-xx)WH, SW, BL, MB, AUSquare Device Rocker Button Kit (C4-CKSK-xx)WH, SW, BL, MB, AUSquare Device Rocker Button Kit (C4-CKSK-xx)WH, SW, BL, MB, AUSquare Davier Faceplate (C4-SFP1-xx) Glass Metal and plasticWH, SW, BL, MB, AUSquare Dual Faceplate (C4-SFP2-xx)WH, BL, SW, MB, AUSquare Dual Trim Ring (C4-SDTR-xx)WH, BL, SW, MB, AUSquare Dual Trim Ring (C4-SBDH-xx)WH, BL, SW, MB, AUEngraved Button, Single High (C4-EBD2H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUEngraved Button, Triple High (C4-EBD3H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AU	Operational temperature	32°F ~ 104°F (0°C ~ 40°C)
WiscellaneousControl communicationsZigBee, IEEE 802.15.4, 2.4 GHz, 15-channel spread spectrum radioWires per connectorOne 0.5 mm² - 2.5 mm² (20AWG - 10AWG) OR Two 0.5 mm² - 1.5 mm² (20AWG - 16AWG)Dimensions83 × 71 × 17 mm (3.3 × 2.8 × 0.7 in.)Weight0.05 kg (0.12 lb.)Shipping weight0.08 kg (0.18 lb.)Controit Colspan="2">VH, SW, BL, MB, AUSquare Device Keypad Button Kit (C4-CKSK-xx)Square Device Rocker Button Kit (C4-CKSK-xx)WH, SW, BL, MB, AUSquare Device Rocker Button Kit (C4-CKSK-xx)WH, SW, BL, MB, AUSquare Device Rocker Button Kit (C4-CKSR-xx)WH, SW, BL, MB, AUSquare Device Rocker Button Kit (C4-CKSR-xx)WH, SW, BL, MB, AUSquare Taceplate (C4-SFP1-xx) Glass Metal and plasticWH, SW, BL, MB, AUSquare Dual Faceplate (C4-SFP2-xx)WH, BL, SW, MB, AUSquare Trim Ring (C4-SSTR-xx)WH, BL, SW, MB, AUSquare Trim Ring (C4-SSTR-xx)WH, BL, SW, MB, AUSquare Dual Trim Ring (C4-SDTR-xx)WH, BL, SW, MB, AUSquare Dual Trim Ring (C4-SDTR-xx)WH, BL, SW, MB, AUEngraved Button, Single High (C4-EBD2H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUEngraved Button, Triple High (C4-EBD2H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUEngraved Button, Triple High (C4-EBD3H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AU	Humidity	5% to 95% non-condensing
Control communicationsZigBee, IEEE 802.15.4, 2.4 GHz, 15-channel spread spectrum radioWires per connectorOne 0.5 mm² - 2.5 mm² (20AWG - 10AWG) OR Two 0.5 mm² - 1.5 mm² (20AWG - 16AWG)Dimensions83 × 71 × 17 mm (3.3 × 2.8 × 0.7 in.)Weight0.05 kg (0.12 lb.)Shipping weight0.08 kg (0.18 lb.)Control Colspan="2">Colspan="2"Sigger Part Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2"Sigger Colspan="2">Colspan="2"Colspan="2">Colspan="2"Sigger Colspan="2">Colspan="2"Colspan="2"Colspan="2"Sigger Part Colspan="2">Colspan="2"Colspan="2"Sigger Part Colspan="2"Colspan="2"Colspan="2"Sigger Part Colspan="2"Colsp	Storage	-4°F ~ 158°F (-20°C ~ 70°C)
Control communicationsradioWires per connectorOne 0.5 mm² - 2.5 mm² (20AWG - 10AWG) OR Two 0.5 mm² - 1.5 mm² (20AWG - 16AWG)Dimensions83 × 71 × 17 mm (3.3 × 2.8 × 0.7 in.)Weight0.05 kg (0.12 lb.)Shipping weight0.08 kg (0.18 lb.)Control Keypad Button Kit (C4-CKSK-xx)Square Device Keypad Button Kit (C4-CKSK-xx)WH, SW, BL, MB, AUSquare Device Rocker Button Kit (C4-CKSK-xx)WH, SW, BL, MB, AUSquare Paceplate (C4-SFP1-xx) Glass Metal and plasticWG, BG, WH, LA, IV, BR, BL, SW, MB, BI, AU, SN, SS, VB, CH, MS 85 × 85 × 75 mm (3.3 × 3.3 × 0.3 in.) 85 × 85 × 75 mm (3.3 × 3.3 × 0.3 in.)Square Dual Faceplate (C4-SFP2-xx)WH, BL, SW, MB, AUSquare Dual Trim Ring (C4-SDTR-xx)WH, BL, SW, MB, AUSquare Dual Faceplate (C4-SFP2-xx)WH, BL, SW, MB, AUSquare Dual Faceplate (C4-SDTR-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUSquare Dual Faceplate (C4-SDTR-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUSquare Dual Faceplate (C4-SDTR-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUSquare Dual Faceplate (C4-SDTR-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUSquare Du	Miscellaneous	
Wires per connectorOR Two 0.5 mm² - 1.5 mm² (20AWG - 16AWG)Dimensions83 × 71 × 17 mm (3.3 × 2.8 × 0.7 in.)Weight0.05 kg (0.12 lb.)Shipping weight0.08 kg (0.18 lb.)Constant Constant Consta	Control communications	
Weight0.05 kg (0.12 lb.)Shipping weight0.08 kg (0.18 lb.)Autailable accessoriesSquare Device Keypad Button Kit (C4-CKSK-xx)WH, SW, BL, MB, AUSquare Device Rocker Button Kit (C4-CKSR-xx)WH, SW, BL, MB, AUSquare Device Rocker Button Kit (C4-CKSR-xx)WH, SW, BL, MB, AUSquare Faceplate (C4-SFP1-xx) Glass Metal and plasticWG, BG, WH, LA, IV, BR, BL, SW, MB, BI, AU, SN, SS, VB, CH, MS 95 × 95 × 80 mm (3.7 × 3.7 × 0.3 in.) 85 × 85 × 7.5 mm (3.3 × 3.3 × 0.3 in.)Square Dual Faceplate (C4-SFP2-xx)WH, BL, SW, MB, AUSquare Dual Faceplate (C4-STR-xx)WH, BL, SW, MB, AUSquare Dual Trim Ring (C4-SDTR-xx)WH, BL, SW, MB, AUSquare Dual Trim Ring (C4-SDTR-xx)WH, BL, SW, MB, AUEngraved Button, Single High (C4-EBD1H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUEngraved Button, Double High (C4-EBD2H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUHigraved Button, Triple High (C4-EBD3H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AU	Wires per connector	OR
NoteShipping weight0.08 kg (0.18 lb.)Available accessoriesSquare Device Keypad Button Kit (C4-CKSK-xx)WH, SW, BL, MB, AUSquare Device Rocker Button Kit (C4-CKSR-xx)WH, SW, BL, MB, AUSquare Device Rocker Button Kit (C4-CKSR-xx)WH, SW, BL, MB, AUSquare Faceplate (C4-SFP1-xx) Glass Metal and plasticWG, BG, WH, LA, IV, BR, BL, SW, MB, BI, AU, SN, SS, VB, CH, MS 95 × 95 × 8.0 mm (3.7 × 3.7 × 0.3 in.) 85 × 85 × 7.5 mm (3.3 × 3.3 × 0.3 in.)Square Dual Faceplate (C4-SFP2-xx)WH, BL, SW, MB, AUSquare Dual Faceplate (C4-STR-xx)WH, BL, SW, MB, AUSquare Dual Trim Ring (C4-SSTR-xx)WH, BL, SW, MB, AUSquare Dual Trim Ring (C4-SDTR-xx)WH, BL, SW, MB, AUEngraved Button, Single High (C4-EBD1H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUEngraved Button, Double High (C4-EBD2H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUEngraved Button, Triple High (C4-EBD3H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AU	Dimensions	83 × 71 × 17 mm (3.3 × 2.8 × 0.7 in.)
Available accessories   Square Device Keypad Button Kit (C4-CKSK-xx) WH, SW, BL, MB, AU   Square Device Rocker Button Kit (C4-CKSR-xx) WH, SW, BL, MB, AU   Square Faceplate (C4-SFP1-xx) Glass Metal and plastic WG, BG, WH, LA, IV, BR, BL, SW, MB, BI, AU, SN, SS, VB, CH, MS 95 × 95 × 8.0 mm (3.7 × 3.7 × 0.3 in.) 85 × 85 × 7.5 mm (3.3 × 3.3 × 0.3 in.)   Square Dual Faceplate (C4-SFP2-xx) WH, BL, SW, MB, AU   Square Trim Ring (C4-SSTR-xx) WH, BL, SW, MB, AU   Square Dual Trim Ring (C4-SDTR-xx) WH, BL, SW, MB, AU   Square Dual Trim Ring (C4-SDTR-xx) WH, BL, SW, MB, AU   Engraved Button, Single High (C4-EBD1H-xx) WH, LA, IV, BR, BL, SW, MB, BI, AU   Engraved Button, Double High (C4-EBD2H-xx) WH, LA, IV, BR, BL, SW, MB, BI, AU   WH, LA, IV, BR, BL, SW, MB, BI, AU WH, LA, IV, BR, BL, SW, MB, BI, AU	Weight	0.05 kg (0.12 lb.)
Square Device Keypad Button Kit (C4-CKSK-xx)WH, SW, BL, MB, AUSquare Device Rocker Button Kit (C4-CKSR-xx)WH, SW, BL, MB, AUSquare Device Rocker Button Kit (C4-CKSR-xx)WG, BG, WH, LA, IV, BR, BL, SW, MB, BI, AU, SN, SS, VB, CH, MS 95 × 95 × 80 mm (3.7 × 3.7 × 0.3 in.) 85 × 85 × 75 mm (3.3 × 3.3 × 0.3 in.)Square Dual Faceplate (C4-SFP2-xx)WH, BL, SW, MB, AUSquare Dual Faceplate (C4-SFP2-xx)WH, BL, SW, MB, AUSquare Dual Faceplate (C4-SFP2-xx)WH, BL, SW, MB, AUSquare Dual Trim Ring (C4-SDTR-xx)WH, BL, SW, MB, AUSquare Dual Trim Ring (C4-SDTR-xx)WH, BL, SW, MB, AUEngraved Button, Single High (C4-EBD1H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUEngraved Button, Double High (C4-EBD2H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUWH, LA, IV, BR, BL, SW, MB, BI, AUWH, LA, IV, BR, BL, SW, MB, BI, AU	Shipping weight	0.08 kg (0.18 lb.)
Square Device Rocker Button Kit (C4-CKSR-xx)WH, SW, BL, MB, AUSquare Faceplate (C4-SFP1-xx) Glass Metal and plasticWG, BG, WH, LA, IV, BR, BL, SW, MB, BI, AU, SN, SS, VB, CH, MS 95 × 95 × 80 mm (3.7 × 3.7 × 0.3 in.) 85 × 85 × 7.5 mm (3.3 × 3.3 × 0.3 in.)Square Dual Faceplate (C4-SFP2-xx)WH, BL, SW, MB, AUSquare Trim Ring (C4-SSTR-xx)WH, BL, SW, MB, AUSquare Dual Trim Ring (C4-SDTR-xx)WH, BL, SW, MB, AUEngraved Button, Single High (C4-EBD1H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUEngraved Button, Double High (C4-EBD2H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUEngraved Button, Triple High (C4-EBD3H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AU	Available accessories	
Square Faceplate (C4-SFP1-xx) Glass Metal and plasticWG, BG, WH, LA, IV, BR, BL, SW, MB, BI, AU, SN, SS, VB, CH, MS 95 × 95 × 80 mm (3.7 × 3.7 × 0.3 in.)Square Dual Faceplate (C4-SFP2-xx)WH, BL, SW, MB, AUSquare Trim Ring (C4-SSTR-xx)WH, BL, SW, MB, AUSquare Dual Trim Ring (C4-SDTR-xx)WH, BL, SW, MB, AUEngraved Button, Single High (C4-EBD1H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUEngraved Button, Double High (C4-EBD2H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUEngraved Button, Triple High (C4-EBD3H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AU	Square Device Keypad Button Kit (C4-CKSK-xx)	WH, SW, BL, MB, AU
Glass Metal and plastic95 × 95 × 8.0 mm (3.7 × 3.7 × 0.3 in.)Square Dual Faceplate (C4-SFP2-xx)WH, BL, SW, MB, AUSquare Trim Ring (C4-SSTR-xx)WH, BL, SW, MB, AUSquare Dual Trim Ring (C4-SDTR-xx)WH, BL, SW, MB, AUSquare Dual Trim Ring (C4-SDTR-xx)WH, BL, SW, MB, AUEngraved Button, Single High (C4-EBD1H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUEngraved Button, Double High (C4-EBD2H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUEngraved Button, Triple High (C4-EBD3H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AU	Square Device Rocker Button Kit (C4-CKSR-xx)	WH, SW, BL, MB, AU
Square Trim Ring (C4-SSTR-xx)WH, BL, SW, MB, AUSquare Dual Trim Ring (C4-SDTR-xx)WH, BL, SW, MB, AUEngraved Button, Single High (C4-EBD1H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUEngraved Button, Double High (C4-EBD2H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUEngraved Button, Triple High (C4-EBD3H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AU	Glass	95 × 95 × 8.0 mm (3.7 × 3.7 × 0.3 in.)
Square Dual Trim Ring (C4-SDTR-xx)WH, BL, SW, MB, AUEngraved Button, Single High (C4-EBD1H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUEngraved Button, Double High (C4-EBD2H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AUEngraved Button, Triple High (C4-EBD3H-xx)WH, LA, IV, BR, BL, SW, MB, BI, AU	Square Dual Faceplate (C4-SFP2-xx)	WH, BL, SW, MB, AU
Engraved Button, Single High (C4-EBD1H-xx) WH, LA, IV, BR, BL, SW, MB, BI, AU   Engraved Button, Double High (C4-EBD2H-xx) WH, LA, IV, BR, BL, SW, MB, BI, AU   Engraved Button, Triple High (C4-EBD3H-xx) WH, LA, IV, BR, BL, SW, MB, BI, AU	Square Trim Ring (C4-SSTR-xx)	WH, BL, SW, MB, AU
Engraved Button, Double High (C4-EBD2H-xx) WH, LA, IV, BR, BL, SW, MB, BI, AU   Engraved Button, Triple High (C4-EBD3H-xx) WH, LA, IV, BR, BL, SW, MB, BI, AU	Square Dual Trim Ring (C4-SDTR-xx)	WH, BL, SW, MB, AU
Engraved Button, Triple High (C4-EBD3H-xx) WH, LA, IV, BR, BL, SW, MB, BI, AU	Engraved Button, Single High (C4-EBD1H-xx)	WH, LA, IV, BR, BL, SW, MB, BI, AU
	Engraved Button, Double High (C4-EBD2H-xx)	WH, LA, IV, BR, BL, SW, MB, BI, AU
Engraved Button, Rocker (C4-EBDR-xx) WH, LA, IV, BR, BL, SW, MB, BI, AU	Engraved Button, Triple High (C4-EBD3H-xx)	WH, LA, IV, BR, BL, SW, MB, BI, AU
	Engraved Button, Rocker (C4-EBDR-xx)	WH, LA, IV, BR, BL, SW, MB, BI, AU

Glass colors: WG=White, BG=Black

Gloss colors: WH=White, LA=Light Almond, IV=Ivory, BR=Brown, BL=Black

Satin colors: SW=Snow White, MB=Midnight Black, BI=Biscuit, AU=Aluminum


Metal finishes: SN=Satin Nickel, SS=Stainless Steel, VB=Venetian Bronze, CH=Chrome, MS=Matte Stainless




Copyright ©2017, Control4 Corporation. All rights reserved. Control4, the Control4 logo, the 4-ball logo, 4Store, 4Sight, Control4 My Home, and Mockupancy are registered trademarks or trademarks of Control4 Corporation in the United States and/or other countries. All other names and brands may be claimed as the property of their respective owners. All specifications subject to change without notice.




## SQUARE WIRELESS CONFIGURABLE KEYPAD SKU: C4-SKC-N








SIDE





©2016 Control4, Inc