



2.5.0.8 Release Details

- **Version:** 2.5.0.8
- **Release Date:** 31 October 2023
- **Products Affected:** WB-800I-IPVM-6, WB-800IVPS-IPVM-12, and the WB-800ICH1U-IPVM-8

Improvements

- Added support for 800 Series Trigger Accessory hardware
- Enabled a feature in OvrC to allow user to change UPS Voltage from 'Normal' range to 'Generator' range for 800 Series devices connected to OvrC UPS 1100, 1500, and 2000 rack-mount Series
- Enabled a feature for a user to be able to Factory Reset a device from OvrC
- Enabled a feature that allows the user to toggle Telnet on and off via OvrC
- Updated local UI security to enable HTTPS by default after factory reset or for units with 2.5.0.8 as factory set firmware
- Two additional password security enhancements. The new password requirements do not impact old passwords that have already been set.
 - 3 different types of characters required
 - Half or more of the string cannot be repeated or ascending characters, i.e. 1234 or 1111.
 - Password range requirement is 8 -63 characters (existing as of firmware version 2.3.0.8.)
- Added support for future WattBox hardware solutions
- Added support for future OvrC enhancements
- Made multiple cyber security updates

2.3.0.8 Release Details

- **Version:** 2.3.0.8
- **Release Date:** 16 May 2023
- **Products Affected:** WB-800I-IPVM-6, WB-800IVPS-IPVM-12, and the WB-800ICH1U-IPVM-8

Improvements

- LED Brightness control has been added to devices with a faceplate (both integrated and standalone faceplates). Control is available in the C4 driver, control protocol, and OvrC.
- Password and username length has been increased for both the control API and Local UI. Password range requirement is now 8 -63 characters. Th new password requirements do not impact old passwords that have already been set.
- Added local UI and control system API WattBox system name validation.
- Made several cyber security enhancements.
- Added support for future WattBox accessories and features.
- Added support for several future OvrC-enabled features.

Bug Fixes

- Fixed outstanding UPS bug which would result in the WattBox application being unable to process actions and commands.
- Added additional logic to ensure proper outlet state is followed after surge, brown out, and other rare conditions.
- Fixed a bug in the OvrC time configuration impacting GMT +13 regions.
- Fixed a bug where HTTPS certification may not be available until the following day.

2.3.0.2 Release Details

- **Version:** 2.3.0.2
- **Release Date:** 19 October 2022
- **Products Affected:** WB-800I-IPVM-6, WB-800IVPS-IPVM-12, and the WB-800ICH1U-IPVM-8

Improvements

- Turning outlets on, using the WattBox's **Power** button, now obeys power on delay settings.
- Various internal improvements to the WattBox firmware.
- Added support for future OvrC enabled features.
- Additional support for WattBox accessories.

Technical Support

For chat and telephone, visit snp1.co/techsupport • Email: TechSupport@SnapOne.com. Visit snp1.co/tc for discussions, instructional videos, news, and more.

Warranty and Legal Notices

Find details of the product's Limited Warranty at snapone.com/legal/ or request a paper copy from Customer Service at **866.424.4489**. Find other legal resources, such as regulatory notices and patent and safety information, at snapone.com/legal/.

Copyright ©2023, Snap One, LLC. All rights reserved. Snap One its respective logos are registered trademarks or trademarks of Snap One, LLC (formerly known as Wirepath Home Systems, LLC), in the United States and/or other countries. 4Store, 4Sight, Control4, Control4 My Home, SnapAV, OvrC, and WattBox are also registered trademarks or trademarks of SnapOne, LLC. Other names and brands may be claimed as the property of their respective owners. Snap One makes no claim that the information contained herein covers all installation scenarios and contingencies, or product use risks. Information within this specification subject to change without notice. All specifications subject to change without notice.

231027

WB-800I-ReleaseNotes-C